

PROPRIETARY AND CONFIDENTIAL

Description

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF INDUSTRIAL SPECIALTIES MFG. AND IS MED SPECIALITES. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF INDUSTRIAL SPECIALTIES MFG. AND IS MED SPECIALITES IS PROHIBITED.

1/4" NPT Female Thread,  
Non-Valved Plug Coupling,  
1/8" Flow,  
Chrome Plated Brass Body and Terminations,  
Buna-N O-Ring Seal

NAME	DATE
DRAWN BY: SCW	20-Feb-2015

PART#	REV
20CB-PB13-04	1

SHEET 1 OF 3

SCALE 3:1

DO NOT SCALE DRAWING




**Industrial Specialties Mfg.**  
**IS Med Specialties**


# Specifications

Body and Termination Material	Food Grade Chrome Plated Brass
Seal Material Option	FDA & NSF Compliant Buna-N O-ring Seal
Operating Pressure Range	Vacuum to 250 psi ( 17.3 bar)
Operating Temperature Range	-40° F to 180° F (-40° C to 82° C)
Flow Capacity	1/8" Size
Thread Size	1/4" Female NPT ( American National Pipe Tapered)
Compatibility Statement	<p>It is the sole responsibility of the system designer and user to select products suitable for their specific application requirements and to ensure proper installation, operation, and maintenance of these products.</p> <p>Material compatibility, product ratings and application details should be considered in the selection. Improper selection or use of products described herein can cause personal injury or product damage.</p>

## 20CB Series Air Flow



## 20CB Series Water Flow



These graphs are intended to give you a general idea of the performance capabilities of the product line.